Cervical Screening Process 1. Invitation Send out invitation Yes CSAS notified and Person opts out CSAS = Cervical Screening Call from screening? person ceased and Recall 2. Sample Screening No - attends screening Carry out cervical screening test 3. HPV testing and cytology triage Carry out **HPV** test Carry out hrHPV hrHPV positive cervical cytology or negative?* positive test hrHPV Cytology Cytology negative abnormal negative or abnormal?* Cytology negative Rescreen in 12 months' time hrHPV positive hrHPV or negative?* negative hrHPV positive

Carry out

cervical cytology

test

Cytology negative

or abnormal?*

Cytology negative

Rescreen in

12 months' time

hrHPV positive

or negative?*

hrHPV positive

Carry out

cervical cytology

test**

Cytology

abnormal

Refer to colposcopy

(see pathway part 2)

4. Colposcopy

Coloscopy adequate?

* If test result is unavailable or cervical cytology is inadequate at

any stage in the screening pathway, the sample must be

repeated in no less than 3 months (allow up to 2 consecutive

unavailable or inadequate results - always refer to colposcopy

Pathway part 1: invitation for screening, sample taking and

Routine recall

at the second).

Coloscopy examination

hrHPV

positive or

negative?

hrHPV

positive or negative?

..... hrHPV

positive

Carry out

cervical cytology

test

Is cytology negative or

abnormal

Cytology negative

Recall in

12 months

hrHPV positive or

negative?

hrHPV positive

Carry out cervical cytology

test

Is cytology negative or abnormal

Cytology

abnormal

Refer to

colposcopy*****

colposcopy.

Recall in 36 months

***If normal colposcopy and/or no re-excision, complete

10 year follow-up.If hrHPV positive at any point during 10

re-excision, begin follow up of CGIN as per this pathway.

***** Further mangement based on findings from repeat

year follow up, refer to colposcopy (regardless of the prescence or abscence of endocervical cells). If there is

****If colposcopy normal, recall in 12 months.

Cytology

negative

* This pathway only applies to individuals with CIN1

** Individuals who have been adequately treated (complete excision margins) for CGIN or SMILE.

hrHPV positive/negative cytology results.

cervical cancer, see Section 4 of 'Cervical

available at www.GOV.UK

confirmed on biopsy or colposcopic impression of CIN1 (no biopsy), who were referred with low grade cytology or

For management for those incompletely excised, or la 1

screening:programme and colposcopy management'

Recall in

36 months

hrHPV positive and cytology negative,

inadequate


or abnormal

hrHPV = high risk human papillomavrus

HPV testing and cytology triage

hrHPV

negative



hrHPV negative

Carry out

cervical cytology

test

Cytology negative or

inadequate or

abnormal?

Cytology

negative or

inadequate

Refer to

colposcopy if colposcopy normal, recall in 12 months

> hrHPV positive or

negative?

hrHPV positive

Carry out

cervical cytology test

Cytology negative or inadequate or

abnormal?

Cytology negative or

inadequate

Refer to

colposcopy****

Refer to

colposcopy***

Cytology

abnormal